## **Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Currently Amended) A <u>conformable</u> vinyl halide film comprising (A) at least one vinyl halide polymer, (B) at least one non-halogenated polymeric plasticizer and (C) at least one second plasticizer <u>having a weight average molecular weight</u> <u>greater than 6000</u>, wherein the vinyl halide polymer (A) comprises a major amount of the polymers of the film and wherein the film has an elongation of at least about 50% and a thickness from about 1 to about 20 mils.
- 2. (Original) The film of claim 1 wherein (A) is a homopolymer or copolymer of at least one vinyl chloride.
  - 3. (Original) The film of claim 1 wherein (A) is at least one polyvinyl chloride.
- 4. (Withdrawn) The film of claim 1 wherein the non-halogenated polymeric plasticizer (B) is a natural or synthetic rubber.
- 5. (Withdrawn) The film of claim 1 wherein (B) is a polybutadiene rubber, a polyisoprene rubber, a styrene-butadiene rubber, a styrene-isoprene rubber, a nitrile rubber, a butyl rubber, an ethylene-propylene terpolymer, a silicone rubber, a polyacrylate rubber, an epichlorohydrin rubber, a fluoroelastomer, or a polyurethane.
  - 6. (Withdrawn) The film of claim 1 wherein (B) is a nitrile rubber.
- 7. (Original) The film of claim 1 wherein (B) is present in an amount of less than 40 parts per hundred parts of (A).
  - 8. (Original) The film of claim 1 further comprising at least one pigment.

- 9. (Original) The film of claim 1 wherein (C) is present in an amount from about 20 to about 85 parts per hundred parts of (A).
- 10. (Withdrawn) A vinyl halide film comprising (A) at least one polyvinyl chloride, (B) at least one non-halogenated rubber polymeric plasticizer and (C) at least one second plasticizer, wherein the film has an elongation of at least about 50%.
  - 11. (Withdrawn) The film of claim 10 wherein (B) is a nitrile rubber.
- 12. (Withdrawn) The film of claim 10 wherein (B) is present in an amount of less than 25 parts per hundred parts of (A).
  - 13. (Withdrawn) The film of claim 10 further comprising at least one pigment.
- 14. (Withdrawn) The film of claim 10 wherein (C) is present in an amount from about 30 to about 75 parts per hundred parts of (A).
- 15. (Withdrawn) An adhesive article comprising a pressure sensitive adhesive layer having a first and second surface, and a vinyl halide film adhered to the first surface of the adhesive layer, wherein the vinyl halide film comprises (A) at least one vinyl halide polymer, (B) at least one non-halogenated polymeric plasticizer and (C) at least one second plasticizer, wherein the adhesive article has an elongation of at least about 50%.
- 16. (Withdrawn) The adhesive article of claim 15 wherein the vinyl halide polymer (A) is a homopolymer or copolymer of at least one vinyl chloride.
- 17. (Withdrawn) The adhesive article of claim 15 wherein (A) is at least one polyvinyl chloride.

- 18. (Withdrawn) The adhesive article of claim 15 wherein the non-halogenated polymeric plasticizer (B) is a natural or synthetic rubber.
- 19. (Withdrawn) The adhesive article of claim 15 wherein (B) is a polybutadiene rubber, a polyisoprene rubber, a styrene-butadiene rubber, a styrene-isoprene rubber, a nitrile rubber, a butyl rubber, an ethylene-propylene terpolymer, a silicone rubber, a polyacrylate rubber, an epichlorohydrin rubber, a fluoroelastomer, or a polyurethane.
- 20. (Withdrawn) The adhesive article of claim 15 wherein (B) is at least one nitrile rubber.
- 21. (Withdrawn) The adhesive article of claim 15 further comprising at least one pigment.
- 22. (Withdrawn) A plastisol, useful for preparing vinyl halide films, comprising (A) at least one vinyl halide polymer, (B) at least one non-halogenated polymeric plasticizer, (C) at least one second plasticizer, and (D) at least one aromatic solvent.
- 23. (Withdrawn) The plastisol of claim 22 wherein (A) is polyvinyl chloride and (B) is a non-halogenated rubber polymeric plasticizer.
- 24. (Withdrawn) The plastisol of claim 22 further comprising (E) at least one pigment.
  - 25. (Previously Presented) The film of claim 1 wherein (B) is liquid.
- 26. (Previously Presented) The film of claim 1 wherein (B) is an ethylenealpha-olefin rubber, a block copolymer of a vinyl aromatic monomer and a conjugated diene or functionalized derivative thereof, a block copolymer of a polyalkylene terephthalate and a polyalkylene ether, a polyether or polyester block polyamide

elastomer, a copolymer or a terpolymer of ethylene or propylene and a functional monomer selected from alkyl acrylate, acrylic acid, alkyl acrylic acid, and combinations of two or more thereof, an ethylene acid copolymer, a homopolymer or copolymer of vinyl acetate, an ethylene vinyl acrylate terpolymer, a terpolymer of an olefin, a comonomer selected from acrylic acids or esters, methacrylic acids and esters and vinyl acetates, and carbon monoxide, or mixtures of two or more thereof.

- 27. (Previously Presented) The film of claim 1 wherein (B) is a terpolymer of (a) an olefin, (b) a comonomer selected from acrylic acids or esters, methacrylic acids and esters, and vinyl acetates, and (c) carbon monoxide.
  - 28. (Withdrawn) The film of claim 10 wherein (B) is liquid.
  - 29. (Withdrawn) The adhesive article of claim 15 wherein (B) is liquid.
- 30. (Withdrawn) The adhesive article of claim 15 wherein (B) is an ethylene-alpha- olefin rubber, a block copolymer of a vinyl aromatic monomer and a conjugated diene or functionalized derivative thereof, a block copolymer of a polyalkylene terephthalate and a polyalkylene ether, a polyether or polyester block polyamide elastomer, a copolymer or a terpolymer of ethylene or propylene and a functional monomer selected from alkyl acrylate, acrylic acid, alkyl acrylic acid, and combinations of two or more thereof, an ethylene acid copolymer, a homopolymer or copolymer of vinyl acetate, an ethylene vinyl acrylate terpolymer, a terpolymer of an olefin, a comonomer selected from acrylic acids or esters, methacrylic acids and esters and vinyl acetates, and carbon monoxide, or mixtures of two or more thereof.
- 31. (Withdrawn) The adhesive article of claim 15 wherein (B) is a terpolymer of (a) an olefin, (b) a comonomer selected from acrylic acids or esters, methacrylic acids and esters, and vinyl acetates, and (c) carbon monoxide.

- 32. (Withdrawn) The film of claim 1 wherein (B) further comprises a linear low density polyethylene or a low density polyethylene.
- 33. (Withdrawn) The film of claim 10 wherein (B) further comprises a linear low density polyethylene or a low density polyethylene.
- 34. (Withdrawn) The adhesive article of claim 15 wherein (B) further comprises a linear low density polyethylene or a low density polyethylene.
- 35. (Currently Amended) A <u>conformable</u> vinyl halide film comprising (A) at least one polyvinyl chloride, (B) at least one terpolymer of (a) an olefin, (b) a comonomer selected from acrylic acids or esters, methacrylic acids or esters, and vinyl acetates, and (c) carbon monoxide, and (C) at least one second plasticizer <u>having a weight average molecular weight greater than 6000</u>, wherein the film has an elongation of at least about 50%.
- 36. (Previously Presented) The film of claim 35 wherein (B) is a terpolymer of ethylene, an acrylic ester or vinyl acetate, and carbon monoxide.